

Public Health Goals

Health Risk Information for Public Health Goal Exceedance Reports

February 2022



Pesticide and Environmental Toxicology Branch
Office of Environmental Health Hazard Assessment
California Environmental Protection Agency

Health Risk Information for Public Health Goal Exceedance Reports

Prepared by

Office of Environmental Health Hazard Assessment
California Environmental Protection Agency

February 2022

NEW for the 2022 Report: New in this document are an updated Public Health Goal(PHG) for 1,2-dibromo-3-chloropropane (DBCP) and newly established PHGs for the trihalomethanes bromodichloromethane, bromoform, chloroform, and dibromochloromethane.

Background: Under the Calderon-Sher Safe Drinking Water Act of 1996 (the Act), public water systems with more than 10,000 service connections are required to prepare a report every three years for contaminants that exceed their respective PHGs.¹This document contains health risk information on regulated drinking water contaminants to assist public water systems in preparing these reports. A PHG is the concentration of a contaminant in drinking water that poses no significant health risk if consumed for a lifetime. PHGs are developed and published by the Office of Environmental Health Hazard Assessment (OEHHA) using current risk assessment principles, practices and methods.²

The water system's report is required to identify the health risk category (e.g., carcinogenicity or neurotoxicity) associated with exposure to each regulated contaminant in drinking water and to include a brief, plainly worded description of these risks. The report is also required to disclose the numerical public health risk, if available, associated with the California Maximum Contaminant Level (MCL) and with the PHG for each contaminant. This health risk information document is prepared by OEHHA every three years to assist the water systems in providing the required information in their reports.

¹ Health and Safety Code Section 116470(b)

² Health and Safety Code Section 116365

ATTACHMENT NO. 2
2022 Health Risk Information for Public Health Goal
Exceedance Reports

Numerical health risks: Table 1 presents health risk categories and cancer risk values for chemical contaminants in drinking water that have PHGs.

The Act requires that OEHHA publish PHGs based on health risk assessments using the most current scientific methods. As defined in statute, PHGs for non-carcinogenic chemicals in drinking water are set at a concentration “at which no known or anticipated adverse health effects will occur, with an adequate margin of safety.” For carcinogens, PHGs are set at a concentration that “does not pose any significant risk to health.” PHGs provide one basis for revising MCLs, along with cost and technological feasibility. OEHHA has been publishing PHGs since 1997 and the entire list published to date is shown in Table 1.

Table 2 presents health risk information for contaminants that do not have PHGs but have state or federal regulatory standards. The Act requires that, for chemical contaminants with California MCLs that do not yet have PHGs, water utilities use the federal Maximum Contaminant Level Goal (MCLG) for the purpose of complying with the requirement of public notification. MCLGs, like PHGs, are strictly health based and include a margin of safety. One difference, however, is that the MCLGs for carcinogens are set at zero because the US Environmental Protection Agency (US EPA) assumes there is no absolutely safe level of exposure to such chemicals. PHGs, on the other hand, are set at a level considered to pose no *significant* risk of cancer; this is usually no more than a one-in-one-million excess cancer risk (1×10^{-6}) level for a lifetime of exposure. In Table 2, the cancer risks shown are based on the US EPA’s evaluations.

For more information on health risks: The adverse health effects for each chemical with a PHG are summarized in a PHG technical support document. These documents are available on the OEHHA website (<https://oehha.ca.gov/water/public-health-goals-phgs>).

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Alachlor	carcinogenicity (causes cancer)	0.004	NA ^{5,6}	0.002	NA
Aluminum	neurotoxicity and immunotoxicity (harms the nervous and immune systems)	0.6	NA	1	NA
Antimony	hepatotoxicity (harms the liver)	0.001	NA	0.006	NA
Arsenic	carcinogenicity (causes cancer)	0.000004 (4×10 ⁻⁶)	1×10 ⁻⁶ (one per million)	0.01	2.5×10 ⁻³ (2.5 per thousand)
Asbestos	carcinogenicity (causes cancer)	7 MFL ⁷ (fibers >10 microns in length)	1×10 ⁻⁶	7 MFL (fibers >10 microns in length)	1×10 ⁻⁶ (one per million)
Atrazine	carcinogenicity (causes cancer)	0.00015	1×10 ⁻⁶	0.001	7×10 ⁻⁶ (seven per million)

¹ Based on the OEHHA PHG technical support document unless otherwise specified. The categories are the hazard traits defined by OEHHA for California's Toxics Information Clearinghouse (online at: <https://oehha.ca.gov/media/downloads/risk-assessment/gcregtext011912.pdf>).

² mg/L = milligrams per liter of water or parts per million (ppm)

³ Cancer Risk = Upper bound estimate of excess cancer risk from lifetime exposure. Actual cancer risk may be lower or zero. 1×10⁻⁶ means one excess cancer case per million people exposed.

⁴ MCL = maximum contaminant level.

⁵ NA = not applicable. Cancer risk cannot be calculated.

⁶ The PHG for alachlor is based on a threshold model of carcinogenesis and is set at a level that is believed to be without any significant cancer risk to individuals exposed to the chemical over a lifetime.

⁷ MFL = million fibers per liter of water.

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Barium	cardiovascular toxicity (causes high blood pressure)	2	NA	1	NA
Bentazon	hepatotoxicity and digestive system toxicity (harms the liver, intestine, and causes body weight effects ⁸)	0.2	NA	0.018	NA
Benzene	carcinogenicity (causes leukemia)	0.00015	1×10^{-6}	0.001	7×10^{-6} (seven per million)
Benzo[a]pyrene	carcinogenicity (causes cancer)	0.000007 (7×10^{-6})	1×10^{-6}	0.0002	3×10^{-5} (three per hundred thousand)
Beryllium	digestive system toxicity (harms the stomach or intestine)	0.001	NA	0.004	NA
Bromate	carcinogenicity (causes cancer)	0.0001	1×10^{-6}	0.01	1×10^{-4} (one per ten thousand)
Cadmium	nephrotoxicity (harms the kidney)	0.00004	NA	0.005	NA
Carbofuran	reproductive toxicity (harms the testis)	0.0007	NA	0.018	NA

⁸ Body weight effects are an indicator of general toxicity in animal studies.

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Carbon tetrachloride	carcinogenicity (causes cancer)	0.0001	1×10^{-6}	0.0005	5×10^{-6} (five per million)
Chlordane	carcinogenicity (causes cancer)	0.00003	1×10^{-6}	0.0001	3×10^{-6} (three per million)
Chlorite	hematotoxicity (causes anemia) neurotoxicity (causes neurobehavioral effects)	0.05	NA	1	NA
Chromium, hexavalent	carcinogenicity (causes cancer)	0.00002	1×10^{-6}	none	NA
Copper	digestive system toxicity (causes nausea, vomiting, diarrhea)	0.3	NA	1.3 (AL ⁹)	NA
Cyanide	neurotoxicity (damages nerves) endocrine toxicity (affects the thyroid)	0.15	NA	0.15	NA
Dalapon	nephrotoxicity (harms the kidney)	0.79	NA	0.2	NA
Di(2-ethylhexyl) adipate (DEHA)	developmental toxicity (disrupts development)	0.2	NA	0.4	NA

⁹ AL = action level. The action levels for copper and lead refer to a concentration measured at the tap. Much of the copper and lead in drinking water is derived from household plumbing (The Lead and Copper Rule, Title 22, California Code of Regulations [CCR] section 64672.3).

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Di(2-ethylhexyl) phthalate (DEHP)	carcinogenicity (causes cancer)	0.012	1×10^{-6}	0.004	3×10^{-7} (three per ten million)
1,2-Dibromo-3-chloropropane (DBCP)	carcinogenicity (causes cancer)	0.000003 (3×10^{-6})	1×10^{-6}	0.0002	7×10^{-5} (seven per hundred thousand)
1,2-Dichloro-benzene (o-DCB)	hepatotoxicity (harms the liver)	0.6	NA	0.6	NA
1,4-Dichloro-benzene (p-DCB)	carcinogenicity (causes cancer)	0.006	1×10^{-6}	0.005	8×10^{-7} (eight per ten million)
1,1-Dichloro-ethane (1,1-DCA)	carcinogenicity (causes cancer)	0.003	1×10^{-6}	0.005	2×10^{-6} (two per million)
1,2-Dichloro-ethane (1,2-DCA)	carcinogenicity (causes cancer)	0.0004	1×10^{-6}	0.0005	1×10^{-6} (one per million)
1,1-Dichloro-ethylene (1,1-DCE)	hepatotoxicity (harms the liver)	0.01	NA	0.006	NA
1,2-Dichloro-ethylene, cis	nephrotoxicity (harms the kidney)	0.013	NA	0.006	NA
1,2-Dichloro-ethylene, trans	immunotoxicity (harms the immune system)	0.05	NA	0.01	NA

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Dichloromethane (methylene chloride)	carcinogenicity (causes cancer)	0.004	1×10^{-6}	0.005	1×10^{-6} (one per million)
2,4-Dichlorophenoxyacetic acid (2,4-D)	hepatotoxicity and nephrotoxicity (harms the liver and kidney)	0.02	NA	0.07	NA
1,2-Dichloropropane (propylene dichloride)	carcinogenicity (causes cancer)	0.0005	1×10^{-6}	0.005	1×10^{-5} (one per hundred thousand)
1,3-Dichloropropene (Telone II®)	carcinogenicity (causes cancer)	0.0002	1×10^{-6}	0.0005	2×10^{-6} (two per million)
Dinoseb	reproductive toxicity (harms the uterus and testis)	0.014	NA	0.007	NA
Diquat	ocular toxicity (harms the eye) developmental toxicity (causes malformation)	0.006	NA	0.02	NA
Endothall	digestive system toxicity (harms the stomach or intestine)	0.094	NA	0.1	NA
Endrin	neurotoxicity (causes convulsions) hepatotoxicity (harms the liver)	0.0003	NA	0.002	NA
Ethylbenzene (phenylethane)	hepatotoxicity (harms the liver)	0.3	NA	0.3	NA

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Ethylene dibromide (1,2-Dibromoethane)	carcinogenicity (causes cancer)	0.00001	1×10^{-6}	0.00005	5×10^{-6} (five per million)
Fluoride	musculoskeletal toxicity (causes tooth mottling)	1	NA	2	NA
Glyphosate	nephrotoxicity (harms the kidney)	0.9	NA	0.7	NA
Heptachlor	carcinogenicity (causes cancer)	0.000008 (8×10^{-6})	1×10^{-6}	0.00001	1×10^{-6} (one per million)
Heptachlor epoxide	carcinogenicity (causes cancer)	0.000006 (6×10^{-6})	1×10^{-6}	0.00001	2×10^{-6} (two per million)
Hexachlorobenzene	carcinogenicity (causes cancer)	0.00003	1×10^{-6}	0.001	3×10^{-5} (three per hundred thousand)
Hexachlorocyclopentadiene (HCCPD)	digestive system toxicity (causes stomach lesions)	0.002	NA	0.05	NA
Lead	developmental neurotoxicity (causes neurobehavioral effects in children) cardiovascular toxicity (causes high blood pressure) carcinogenicity (causes cancer)	0.0002	$<1 \times 10^{-6}$ (PHG is not based on this effect)	0.015 (AL ⁹)	2×10^{-6} (two per million)

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Lindane (γ-BHC)	carcinogenicity (causes cancer)	0.000032	1×10^{-6}	0.0002	6×10^{-6} (six per million)
Mercury (inorganic)	nephrotoxicity (harms the kidney)	0.0012	NA	0.002	NA
Methoxychlor	endocrine toxicity (causes hormone effects)	0.00009	NA	0.03	NA
Methyl tertiary-butyl ether (MTBE)	carcinogenicity (causes cancer)	0.013	1×10^{-6}	0.013	1×10^{-6} (one per million)
Molinate	carcinogenicity (causes cancer)	0.001	1×10^{-6}	0.02	2×10^{-5} (two per hundred thousand)
Monochlorobenzene (chlorobenzene)	nephrotoxicity (harms the kidney)	0.07	NA	0.07	NA
Nickel	developmental toxicity (causes increased neonatal deaths)	0.012	NA	0.1	NA
Nitrate	hematotoxicity (causes methemoglobinemia)	45 as nitrate	NA	10 as nitrogen (=45 as nitrate)	NA
Nitrite	hematotoxicity (causes methemoglobinemia)	3 as nitrite	NA	1 as nitrogen (=3 as nitrite)	NA

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Nitrate and Nitrite	hematotoxicity (causes methemoglobinemia)	10 as nitrogen ¹⁰	NA	10 as nitrogen	NA
N-nitroso-dimethyl-amine (NDMA)	carcinogenicity (causes cancer)	0.000003 (3×10 ⁻⁶)	1×10 ⁻⁶	none	NA
Oxamyl	general toxicity (causes body weight effects)	0.026	NA	0.05	NA
Pentachloro-phenol (PCP)	carcinogenicity (causes cancer)	0.0003	1×10 ⁻⁶	0.001	3×10 ⁻⁶ (three per million)
Perchlorate	endocrine toxicity (affects the thyroid) developmental toxicity (causes neurodevelopmental deficits)	0.001	NA	0.006	NA
Picloram	hepatotoxicity (harms the liver)	0.166	NA	0.5	NA
Polychlorinated biphenyls (PCBs)	carcinogenicity (causes cancer)	0.00009	1×10 ⁻⁶	0.0005	6×10 ⁻⁶ (six per million)
Radium-226	carcinogenicity (causes cancer)	0.05 pCi/L	1×10 ⁻⁶	5 pCi/L (combined Ra ²²⁶⁺²²⁸)	1×10 ⁻⁴ (one per ten thousand)

¹⁰ The joint nitrate/nitrite PHG of 10 mg/L (10 ppm, expressed as nitrogen) does not replace the individual values, and the maximum contribution from nitrite should not exceed 1 mg/L nitrite-nitrogen.

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Radium-228	carcinogenicity (causes cancer)	0.019 pCi/L	1×10^{-6}	5 pCi/L (combined Ra ²²⁶⁺²²⁸)	3×10^{-4} (three per ten thousand)
Selenium	integumentary toxicity (causes hair loss and nail damage)	0.03	NA	0.05	NA
Silvex (2,4,5-TP)	hepatotoxicity (harms the liver)	0.003	NA	0.05	NA
Simazine	general toxicity (causes body weight effects)	0.004	NA	0.004	NA
Strontium-90	carcinogenicity (causes cancer)	0.35 pCi/L	1×10^{-6}	8 pCi/L	2×10^{-5} (two per hundred thousand)
Styrene (vinylbenzene)	carcinogenicity (causes cancer)	0.0005	1×10^{-6}	0.1	2×10^{-4} (two per ten thousand)
1,1,2,2-Tetrachloroethane	carcinogenicity (causes cancer)	0.0001	1×10^{-6}	0.001	1×10^{-5} (one per hundred thousand)
2,3,7,8-Tetrachlorodibenzo-<i>p</i>-dioxin (TCDD, or dioxin)	carcinogenicity (causes cancer)	5×10^{-11}	1×10^{-6}	3×10^{-8}	6×10^{-4} (six per ten thousand)

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Tetrachloroethylene (perchloroethylene, or PCE)	carcinogenicity (causes cancer)	0.00006	1×10^{-6}	0.005	8×10^{-5} (eight per hundred thousand)
Thallium	integumentary toxicity (causes hair loss)	0.0001	NA	0.002	NA
Thiobencarb	general toxicity (causes body weight effects) hematotoxicity (affects red blood cells)	0.042	NA	0.07	NA
Toluene (methylbenzene)	hepatotoxicity (harms the liver) endocrine toxicity (harms the thymus)	0.15	NA	0.15	NA
Toxaphene	carcinogenicity (causes cancer)	0.00003	1×10^{-6}	0.003	1×10^{-4} (one per ten thousand)
1,2,4-Trichlorobenzene	endocrine toxicity (harms adrenal glands)	0.005	NA	0.005	NA
1,1,1-Trichloroethane	neurotoxicity (harms the nervous system), reproductive toxicity (causes fewer offspring) hepatotoxicity (harms the liver) hematotoxicity (causes blood effects)	1	NA	0.2	NA

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
1,1,2-Trichloroethane	carcinogenicity (causes cancer)	0.0003	1×10^{-6}	0.005	2×10^{-5} (two per hundred thousand)
Trichloroethylene (TCE)	carcinogenicity (causes cancer)	0.0017	1×10^{-6}	0.005	3×10^{-6} (three per million)
Trichlorofluoromethane (Freon 11)	accelerated mortality (increase in early death)	1.3	NA	0.15	NA
1,2,3-Trichloropropane (1,2,3-TCP)	carcinogenicity (causes cancer)	0.0000007 (7×10^{-7})	1×10^{-6}	0.000005 (5×10^{-6})	7×10^{-6} (seven per million)
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	hepatotoxicity (harms the liver)	4	NA	1.2	NA
Trihalomethanes: Bromodichloromethane	carcinogenicity (causes cancer)	0.00006	1×10^{-6}	0.080*	1.3×10^{-3} (1.3 per thousand) ¹¹
Trihalomethanes: Bromoform	carcinogenicity (causes cancer)	0.0005	1×10^{-6}	0.080*	2×10^{-4} (two per ten thousand) ¹²

* For total trihalomethanes (the sum of bromodichloromethane, bromoform, chloroform, and dibromochloromethane). There are no MCLs for individual trihalomethanes.

¹¹ Based on 0.080 mg/L bromodichloromethane; the risk will vary with different combinations and ratios of the other trihalomethanes in a particular sample.

¹² Based on 0.080 mg/L bromoform; the risk will vary with different combinations and ratios of the other trihalomethanes in a particular sample.

Table 1: Health Risk Categories and Cancer Risk Values for Chemicals with California Public Health Goals (PHGs)

Chemical	Health Risk Category ¹	California PHG (mg/L) ²	Cancer Risk ³ at the PHG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Trihalomethanes: Chloroform	carcinogenicity (causes cancer)	0.0004	1×10^{-6}	0.080*	2×10^{-4} (two per ten thousand) ¹³
Trihalomethanes: Dibromochloromethane	carcinogenicity (causes cancer)	0.0001	1×10^{-6}	0.080*	8×10^{-4} (eight per ten thousand) ¹⁴
Tritium	carcinogenicity (causes cancer)	400 pCi/L	1×10^{-6}	20,000 pCi/L	5×10^{-5} (five per hundred thousand)
Uranium	carcinogenicity (causes cancer)	0.43 pCi/L	1×10^{-6}	20 pCi/L	5×10^{-5} (five per hundred thousand)
Vinyl chloride	carcinogenicity (causes cancer)	0.00005	1×10^{-6}	0.0005	1×10^{-5} (one per hundred thousand)
Xylene	neurotoxicity (affects the senses, mood, and motor control)	1.8 (single isomer or sum of isomers)	NA	1.75 (single isomer or sum of isomers)	NA

* For total trihalomethanes (the sum of bromodichloromethane, bromoform, chloroform, and dibromochloromethane). There are no MCLs for individual trihalomethanes.

¹³ Based on 0.080 mg/L chloroform; the risk will vary with different combinations and ratios of the other trihalomethanes in a particular sample.

¹⁴ Based on 0.080 mg/L dibromochloromethane; the risk will vary with different combinations and ratios of the other trihalomethanes in a particular sample.

Table 2: Health Risk Categories and Cancer Risk Values for Chemicals without California Public Health Goals

Chemical	Health Risk Category ¹	US EPA MCLG ² (mg/L)	Cancer Risk ³ at the MCLG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Disinfection byproducts (DBPs)					
Chloramines	acute toxicity (causes irritation) digestive system toxicity (harms the stomach) hematotoxicity (causes anemia)	4 ^{5,6}	NA ⁷	none	NA
Chlorine	acute toxicity (causes irritation) digestive system toxicity (harms the stomach)	4 ^{5,6}	NA	none	NA
Chlorine dioxide	hematotoxicity (causes anemia) neurotoxicity (harms the nervous system)	0.8 ^{5,6}	NA	none	NA
Disinfection byproducts: haloacetic acids (HAA5)					
Monochloroacetic acid (MCA)	general toxicity (causes body and organ weight changes ⁸)	0.07	NA	none	NA

¹ Health risk category based on the US EPA MCLG document or California MCL document unless otherwise specified.

² MCLG = maximum contaminant level goal established by US EPA.

³ Cancer Risk = Upper estimate of excess cancer risk from lifetime exposure. Actual cancer risk may be lower or zero. 1×10^{-6} means one excess cancer case per million people exposed.

⁴ California MCL = maximum contaminant level established by California.

⁵ Maximum Residual Disinfectant Level Goal, or MRDLG.

⁶ The federal Maximum Residual Disinfectant Level (MRDL), or highest level of disinfectant allowed in drinking water, is the same value for this chemical.

⁷ NA = not available.

⁸ Body weight effects are an indicator of general toxicity in animal studies.

Table 2: Health Risk Categories and Cancer Risk Values for Chemicals without California Public Health Goals

Chemical	Health Risk Category¹	US EPA MCLG² (mg/L)	Cancer Risk³ at the MCLG	California MCL⁴ (mg/L)	Cancer Risk at the California MCL
Dichloroacetic acid (DCA)	Carcinogenicity (causes cancer)	0	0	none	NA
Trichloroacetic acid (TCA)	hepatotoxicity (harms the liver)	0.02	NA	none	NA
Monobromoacetic acid (MBA)	NA	none	NA	none	NA
Dibromoacetic acid (DBA)	NA	none	NA	none	NA
Total haloacetic acids (sum of MCA, DCA, TCA, MBA, and DBA)	general toxicity, hepatotoxicity and carcinogenicity (causes body and organ weight changes, harms the liver and causes cancer)	none	NA	0.06	NA
Radionuclides					
Gross alpha particles ⁹	carcinogenicity (causes cancer)	0 (²¹⁰ Po included)	0	15 pCi/L ¹⁰ (includes radium but not radon and uranium)	up to 1x10 ⁻³ (for ²¹⁰ Po, the most potent alpha emitter)

⁹ MCLs for gross alpha and beta particles are screening standards for a group of radionuclides. Corresponding PHGs were not developed for gross alpha and beta particles. See the OEHHA memoranda discussing the cancer risks at these MCLs at <http://www.oehha.ca.gov/water/reports/grossab.html>.

¹⁰ pCi/L = picocuries per liter of water.

ATTACHMENT NO. 2
2022 Health Risk Information for Public Health Goal
Exceedance Reports

Chemical	Health Risk Category ¹	US EPA MCLG ² (mg/L)	Cancer Risk ³ at the MCLG	California MCL ⁴ (mg/L)	Cancer Risk at the California MCL
Beta particles and photon emitters ⁹	carcinogenicity (causes cancer)	0 (²¹⁰ Pb included)	0	50 pCi/L (judged equiv. to 4 mrem/yr)	up to 2×10^{-3} (for ²¹⁰ Pb, the most potent beta- emitter)